Optics InfoBase Page 1 of 4

Optics InfoBase
Published by The Optical Society of America

<< Previous Results 1-11 of 11 Sort By: Relevance M	Most Recent Next >>
Export and save citations. Select articles then choose and Select all Select an action	l action. ② Cons Icons Icons
Design optimization of integrated BiDi triplexer option planar lightwave circuit	tical filter based
 Optics Express, Vol. 14 Issue 11, pp.4675-4686 (20 Xu, Chenglin; Hong, Xiaobin; Huang, Wei-Ping Design optimization of a novel integrated bi-direction filter based on planar lightwave circuit (PLC) for fiber (FTTP) applications is described. A 	onal (BiDi) triplexer
Mach-Zehnder interferometer with a uniform wave	length period
Optics Letters, Vol. 29 Issue 5, pp.454-456 (2004) Minute Talance Vol. 29 Issue 5, pp.454-456 (2004)	La ana Mannada

- Mizuno, Takayuki; Kitoh, Tsutomu; Oguma, Manabu; Inoue, Yasuyuki; Shibata, Tomohiro; Takahashi, Hiroshi
- We have realized a first optical filter composed of optical delay lines and couplers that has a periodic response with respect to wavelength, whereas a conventional optical filter is...

·...:

<u>Dispersion Slope Equalizer for Dispersion Shifted Fiber Using a Lattice-Form Programmable Optical Filter on a Planar Lightwave Circuit</u>

- Journal of Lightwave Technology, Vol. 16 Issue 9, pp.1647- (1998)
- Takiguchi, Koichi; Kawanishi, Satoki; Takara, Hidehiko; Himeno, Akira; Hattori, Kuninori
- This paper reports an integrated-optic dispersion slope (third-order dispersion) equalizer for dispersion shifted fiber which employs a lattice-form programmable optical filter on a...

Se

fil1

Optics InfoBase Page 2 of 4

Optical-Signal-Processing Device Based on Waveguide-Type Variable Delay Lines and Optical Gates

- Journal of Lightwave Technology, Vol. 24 Issue 7, pp.2593- (2006)
- Takiguchi, Koichi; Itoh, Mikitaka; Shibata, Tomohiro

-

1

• In this paper, an optical-signal-processing device mainly designed for time-slot switching is demonstrated. The device is composed of variable delay-line arrays fabricated by planar...

Uniform Wavelength Spacing Mach-Zehnder Interferometer Using Phase-Generating Couplers

- Journal of Lightwave Technology, Vol. 24 Issue 8, pp.3217- (2006)
- Mizuno, Takayuki; Kitoh, Tsutomu; Oguma, Manabu; Inoue, Yasuyuki; Shibata, Tomohiro; Takahashi, Hiroshi
- A theoretical and experimental study of an optical interferometer circuit with a uniform wavelength spacing is presented. The operating principle of the filter and a phase-generating...

<u>Fabrication of a TFF-Attached WDM-Type Triplex Transceiver Module Using Silica PLC Hybrid Integration Technology</u>

- Journal of Lightwave Technology, Vol. 24 Issue 12, pp.5031-5038 (2006)
- Han, Young-Tak; Park, Yoon-Jung; Park, Sang-Ho; Shin, Jang-Uk; Lee, Chul-Wook; Ko, Hyunsung; Baek, Yongsoon; Park, Chul-Hee; Kwon, Yoon-Koo; Hwang, Wol-Yon; Oh, Kwang-Ryong; Sung, Heekyung
- An optical triplex transceiver (TRx) module, which consists of thin-film filter (TFF)-attached wavelength-division multiplexer (WDM) and photodiode (PD) carriers, has been fabricated...

A Wavelength-Tunable Optical Transmitter Using Semiconductor Optical Amplifiers and an Optical Tunable Filter for Metro/ Access DWDM Applications

- Journal of Lightwave Technology, Vol. 23 Issue 3, pp.1164- (2005)
- Kani, Jun-ichi; Iwatsuki, Katsumi
- This paper proposes and demonstrates a widely tunable and precisely

Optics InfoBase Page 3 of 4

controllable optical transmitter that uses semiconductor optical amplifiers (SOAs) and an optical tunable filter...

Advances in PLC Technology for Wavelength Routing Applications

- Integrated Photonics Research and Applications (IPRA) 2006 paper: IMB1
- Technical Digest (CD)

-

-

- Brainard, Robert; Fondeur, Barthelemy; Dougherty, David J
- Design advances have dramatically improved the performance of Planar Lightwave Circuit (PLC) Reconfigurable Optical Add-Drop Multiplexers (ROADM). Methods used to reduce insertion...

Design and Analysis of a Control System for an Optical Delay-Line Circuit Used as Reconfigurable Gain Equalizer

- Journal of Lightwave Technology, Vol. 21 Issue 9, pp.1944- (2003)
- Schlipf, T R; Street, M W; Pandavenes, J; McBride, R; Cumming, D R S
- The design and analysis of a control system for a coherent two-port lattice-form optical delay-line circuit used as reconfigurable gain equalizer is presented. The design of the...

<u>Triple Wavelength Demultiplexers for Low-Cost Optical Triplexer</u> Transceivers

- Journal of Lightwave Technology, Vol. 25 Issue 1, pp.350-358 (2007)
- Song, Jeong Hwan; Lee, Kyung Shik; Oh, Yunkyung
- We report triple wavelength demultiplexers adopting a thin-film filter (TFF) and a waveguide Bragg grating as a reflector for low-cost integrated optical triplexer transceivers...

Interleave Filter Based on Coherent Optical Transversal Filter

- Journal of Lightwave Technology, Vol. 24 Issue 7, pp.2602- (2006)
- Mizuno, Takayuki; Saida, Takashi; Kitoh, Tsutomu; Shibata, Tomohiro; Inoue, Yasuyuki
- The principle of the transversal interleave filter previously proposed as a novel class of interleave filter is described. The principle of a

Optics InfoBase Page 4 of 4

conventional 1 \times 1 coherent optical...

Export and save	citations.	Select a	rticles	then	choose	an act	tion.	②	
™ Select all	Select an act	ion							
<< Previous Res	ults 1-11	of 11 Sc	ort By:	Rele	vance	Most	Recent	Next	>>

© Copyright 2008 Optical Society of America All Rights Reserved | <u>Privacy Statement</u> | <u>Terms of Use</u>